



## **AM2068IL**

AM Series fiberglass wall mount enclosure assembly with

hinged cover and stainless-steel snap latch

**Enclosure Type:** JIC Size **Cover Type:** Opaque

Closure Type: metal snap latch

Mounting Description: Stainless steel feet fastened to

back side brass inserts

**Box Features:** 

**Installation Type:** 

Height: 508 mm Width: 406 mm Depth: 207 mm

**Usable Depth:** 155 mm **Volume:** 2602 cu mm

# **Product Info**

Brand: AM Series
Carton Quantity: 1
Carton Weight: 3.787 kg
Country of Origin: India
Color: Gray (RAL 7035)

Patents: U.S. Patent No. 6,908,003 B2

Material: Fiberglass Reinforced Polyester - compression

molded SMC box and cover

**Additional Materials:** 304 stainless steel external hardware (hinges/latches/fasteners), 304 Stainless Steel Mounting brackets, 304 Stainless Steel internal hardware,

Brass inserts, Neoprene gasket

#### Features:

Non-corrosive, non- conductive, UV protected, Flameretardent, Impact resistant, Chemical Resistant, Leight Weight with lower installation cost, Negligible maintenance cost, easy to modify and Loger life cycle compare to Steel/Polycarbonate. Rigid design with Back panel inserts plus Stainless Steel wall mounting brackets and neoprene gasket encased in a continous channel on the cover.

### **Application:**

Enclose and protect electrical and electronic controls, instruments or components for indoor and outdoor applications. Especially well suited for extreme temperature and corrosive environments.

### Standards:

IEC-62208, IEC-60695-2-11:2000, IEC-60529:2013-08, IEC-60068-2-2:2007, IEC-62262-2002, UL-94 5VA, RoHS Compliant

